
Invenio-Query-Parser Documentation

Release 0.6.0

Invenio collaboration

April 18, 2016

1	Contents	3
1.1	Installation	3
1.2	Usage	3
1.3	API	3
1.4	Changes	3
2	Version 0.6.0 (released 2016-04-18):	5
3	Version 0.5.0 (released 2016-02-29):	7
4	Version 0.4.1 (released 2015-11-13):	9
5	Version 0.4.0 (released 2015-11-12):	11
6	Version 0.3.0 (released 2015-07-29):	13
7	Version 0.2.0 (released 2014-12-10):	15
8	Version 0.1.0 (release 2014-10-13):	17
8.1	Contributing	17
8.2	Authors	17

Search query parser supporting Invenio and SPIRES search syntax.

Contents

- *Installation*
- *Usage*
- *API*
- *Changes*

1.1 Installation

Invenio-Query-Parser is on PyPI so all you need is:

```
$ pip install invenio-query-parser
```

1.2 Usage

The easiest way is to use *pypeg2* directly with `Main`.

```
import pypeg2
from invenio_query_parser.parser import Main
pypeg2.parse('author:"Ellis"', Main)
```

1.3 API

1.4 Changes

Version 0.6.0 (released 2016-04-18):

- Removes check for Flask application context from *build_valid_keywords_grammar* function in favor of new *keywords* argument.
- Elastic search DSL walker returns instance of *elasticsearch_dsl.Q* instead of *dict*.

Version 0.5.0 (released 2016-02-29):

- Allows match unit to iterate over Sequences, i.e. tuple.
- Removes distinctions between double and single quotes.
- Adds support for allowed keywords.
- Removes nestable keywords (to be re-added in the future).
- Removes optional space after a keyword.
- *AND*, *OR* and *NOT* are only considered as keywords when written in caps.

Version 0.4.1 (released 2015-11-13):

- Default key getter returns default value instead of raising key error if the key is not found inside the dictionary.

Version 0.4.0 (released 2015-11-12):

- Removes support for Python 2.6.
- Adds **experimental** support for Elasticsearch query generation.
- Adds *MatchUnit* walker for testing data against a query.
- Adds Python 3.5 classifier and enables it in test matrix.
- Fixes ‘not’ operator usage at the beginning of the query and after an ‘or’ operator.

Version 0.3.0 (released 2015-07-29):

- Allows search keywords to contain dots to point to subfield content, i.e. *author.name: Ellis*.

Version 0.2.0 (released 2014-12-10):

- Initial public release.
- Adds Python2/Python3 compatibility layer. (#2)
- Adds new Sphinx documentation page. (#3)
- Adds simple inheritance for visitor pattern and separates SPIRES syntax parser to contrib module. (#7)

Version 0.1.0 (release 2014-10-13):

- Initial private release. Includes code developed by Alessio Deiana and Federico Poli.

8.1 Contributing

Bug reports, feature requests, and other contributions are welcome. If you find a demonstrable problem that is caused by the code of this library, please:

1. Search for [already reported problems](#).
2. Check if the issue has been fixed or is still reproducible on the latest *master* branch.
3. Create an issue with **a test case**.

If you create a feature branch, you can run the tests to ensure everything is operating correctly:

```
$ python setup.py test
...
===== 146 passed in 1.90 seconds =====
```

8.2 Authors

Invenio-Query-Parser is developed for the [Invenio](#) digital library software.

Contact us at info@invenio-software.org.

- Alessio Deiana <<https://github.com/osso>>
- Federico Poli <<https://github.com/fpoli>>
- Jiri Kuncar <<https://github.com/jirikuncar>>
- Tibor Simko <<https://github.com/tiborsimko>>
- Esteban J. G. Gabancho <<https://github.com/egabancho>>
- Lars Holm Nielsen <<https://github.com/lnielsen>>